



et le fluide passe!





TYPE 01 A BRIDE PLATE



TYPE 01 A BRIDE PLATE PLEINE



TYPE 11 B BRIDE COLLERETTE



JOINT POUR BRIDE AFM 38



DN Tube	PN	N/Réf.	Euro	N/Réf.	Euro	N/Réf.	Euro	N/Réf.	Euro
15 / 21,3	16	5805210		5810010		5814010		5840010	
20 / 26,9	16	5805215		5810015		5814015		5840015	
25 / 33,7	16	5805220		5810020		5814020		5840020	
32 / 42,4	16	5805225		5810025		5814025		5840025	
40 / 48,3	16	5805230		5810030		5814030		5840030	
50 / 60,3	16	5805235		5810035		5814035		5840035	
65 / 76,1	16	5805240		5810040		5814040		5840040	
80 / 88,9	16	5805245		5810045		5814045		5840042	
100 / 108	16	5805250		5810055		5814050		5840050	
100 / 114	16	5805255				5814055			
125 / 133	16	5805260		5810060		5814060		5840055	
125 / 139,7	16	5805265				5814065			
150 / 159	16	5805270		5810075		5814070		5840060	
150 / 168	16	5805275				5814075			
200 / 219,1	16	5805285		5810085		5814080		5840070	
200 / 219,1	10	5805485		5810185		5814185			
250 / 273	10	5805490		5810190		5814190		5840075	
300 / 323	10	5805495		5810195		5814195		5840080	

TYPE 13 B BRIDE TARAUDÉE NOIRE



Diamètre	PN	N/Réf.	Euro
3/8"	10 / 16	5820005	
1/2"	10 / 16	5820010	
3/4"	10 / 16	5820020	
1"	10 / 16	5820030	
1"1/4	10 / 16	5820040	
1"1/2	10 / 16	5820050	
2"	10 / 16	5820060	
2"1/2	10 / 16	5820070	
3"	10 / 16	5820080	
4"	10 / 16	5820090	

Bride inox sur demande

TIRANT EN ACIER ZINGUÉ AVEC ÉCROU



Diamètre Vanne	Nb de Tirant	Dimens.	N/Réf.	Euro
50 / 65	4	16 x 120	6088103	
80	8			
100 / 125	8	16 x 140	6088110	
150 / 200	8	20 x 150	6088195	

MANCHON DE RACCORDEMENT ET RÉPARATION



Diam	ACIER / ACIER	
	EPDM	NBR
26,9	4130002	4131002
33,7	4130005	4131005
42,4	4130008	4131008
48,3	4130010	4131010
60,3	4130013	4131013
70	4130015	4131015
76,1	4130017	4131017
88,9	4130021	4131021
101,6	4130023	4131023
108	4130025	4131025
114,3	4130027	4131027
133	4130032	4131032
139,7	4130033	4131033
159	4130037	4131037
168,3	4130038	4131038
193,7	4130041	4131041
219,1	4130043	4131043
273	4130049	4131049
323,9	4130051	4131051
355,6	4130053	4131053
406,4	4130054	4131054

En Option :

- Boulons et Tourillons INOX
- Boîtier INOX 316

Diam		ACIER / PVC	
Plastique	Métal	EPDM	NBR
40	42,4	4132008	4133008
50	48,3	4132010	4133010
63	60,3	4132013	4133013
75	76,1	4132017	4133017
90	88,9	4132021	4133021
110	108	4132025	4133025
110	114,3	4132027	4133027
125	129	4132031	4133031
140	139,7	4132033	4133033
160	159	4132037	4133037
200	204	4132042	4133042
225	219,1	4132043	4133043
250	254	4132047	4133047

AUTRES GAMMES SUR CONSULTATION :

- RACCORD COMPRESSION FONTE GALVA
- RACCORD CUIVRE À SERTIR
- VANNE 1/4 DE TOUR À SERTIR
- RACCORD BRONZE À VISSER
- RACCORD ACIER SÉRIE 100 ET 250 BARS (GAZ, NPT, SW, BW)
- RACCORD INOX À SOUDER
- RACCORD INOX SÉRIE 3000
- FLEXIBLE GALVA ET INOX
- BRIDE INOX
- ELECTROVANNE
- JOINT FIBRE
- BRIDE À EMBOÎTEMENT (SEF, DEF, SEM, DEM)
- PLAQUE PVC



COMPENSATEURS DE DILATATION

MANCHON ANTIVIBRATOIRE
EPDM À BRIDES
PN 10



DN	N/Réf.	Euro
32	4104125	
40	4104127	
50	4104132	
65	4104137	
80	4104142	
100	4104147	
125	4104152	
150	4104157	
200	4104162	
250	4104167	
300	4104170	

MANCHON ANTIVIBRATOIRE EPDM TARAUDÉ PN 10



Diamètre	N/Réf.	Euro
1/2"	4102010	
3/4"	4102015	
1"	4102020	
1"1/4	4102025	
1"1/2	4102030	
2"	4102035	
2"1/2	4102040	
3"	4102045	

Sur demande : manchette nitrile

RACCORD STANDARD TYPE SC CAOUTCHOUC EPDM
COLLIER INOX 304 ET BANDE ANTI-CISAILLEMENT PRESSION
MAXIMÂLE DE SERVICE 1,5 BAR



Diam	Largeur	N/Réf.	Euro
50 - 65	90	4109010	
65 - 75	90	4109015	
75 - 90	90	4109020	
85 - 90	100	4109025	
100 - 115	120	4109030	
105 - 120	120	4109035	
120 - 137	120	4109040	
130 - 150	120	4109045	
137 - 162	120	4109050	
150 - 175	120	4109055	
165 - 180	150	4109060	
175 - 190	150	4109065	
175 - 200	150	4109070	
187 - 212	150	4109075	
200 - 225	150	4109080	
225 - 250	150	4109085	
250 - 275	150	4109090	
265 - 290	150	4109095	
285 - 310	190	4109100	
295 - 320	190	4109105	
310 - 335	190	4109115	
325 - 350	190	4109116	
340 - 365	190	4109120	
355 - 385	190	4109125	
385 - 410	190	4109130	
400 - 430	190	4109135	
415 - 445	190	4109140	
435 - 465	190	4109145	
465 - 495	190	4109150	
480 - 510	190	4109155	
495 - 525	190	4109160	
515 - 545	190	4109165	
525 - 550	190	4109170	
530 - 560	190	4109175	
545 - 570	190	4109176	
550 - 585	190	4109177	
570 - 600	190	4109178	
590 - 620	190	4109180	
605 - 635	190	4109185	
615 - 645	190	4109190	



RACCORD DROIT TYPE DC CAOUTCHOUC EPDM COLLIER
INOX 304 PRESSION MAXIMÂLE DE SERVICE 0,6 BAR



Diam	Largeur	N/Réf.	Euro
24 - 32	64	4109408	
32 - 40	64	4109409	
42 - 50	64	4109410	
50 - 65	88	4109411	
65 - 75	90	4109413	
75 - 90	102	4109415	
85 - 100	100	4109416	
100 - 115	102	4109418	
105 - 120	120	4109420	
120 - 137	120	4109425	
125 - 150	120	4109445	
137 - 162	120	4109450	
150 - 175	120	4109457	
160 - 180	150	4109460	
165 - 190	150	4109465	
175 - 200	150	4109470	
187 - 212	150	4109475	
200 - 225	150	4109477	
225 - 250	150	4109480	
250 - 275	150	4109484	

Jonction réduite sur demande

RACCORDS SÉRIE LARGE TOLÉRANCE

RACCORD JONCTION -
LP5 À BRIDES PN 16
CORPS FONTE
REVÊTU RILSAN



DN	Dim. Ext.	N/Réf.	Euro
40	47,9 x 59,5	4167010	
50	57 x 74	4167012	
65	63 x 85	4167014	
80	85 x 107	4167016	
100	107 x 132	4167021	
125	132,2 x 158	4167025	
150	158 x 184	4167028	
175	189 x 212	4167030	
200	218 x 244	4167031	
225	243 x 269	4167035	
250	266 x 295	4167036	
300	315 x 349	4167040	

ADAPTATEUR - LP6
À BRIDES PN 16
CORPS FONTE
REVÊTU RILSAN



DN	Dim. Ext.	DN Bride	N/Réf.	Euro
50	57 x 74	50	4167100	
65	63 x 85	60 / 65 / 80	4167105	
80	85 x 107	80	4167110	
100	107 x 132	100	4167115	
125	132 x 158	125	4167117	
150	158 x 184	150	4167128	
175	189 x 212	200	4167138	
200	218 x 244	200	4167140	
225	243 x 269	250	4167145	
250	266 x 295	250	4167146	
300	315 x 349	300	4167160	

Pour tubes : acier, fonte, pvc, fibro ciment, inox boulons acier classe 4.6 Joint epdm t° : -20 à +70°c



**MANCHON AVK - R5
RACCORDEMENT POUR TUBES PVC
TEMPÉRATURE MAXI 70°C**



DN	D Tube PVC	N/Réf.	Euro
40	40	4164405	
40	50	4164410	
50	63	4164415	
65	75	4164420	
80	90	4164425	
100	110	4164430	
125	125	4164435	
125	140	4164440	
150	160	4164445	
175	200	4164450	
200	225	4164455	
250	250	4164460	
250	280	4164465	
300	315	4164470	
400	400	4164475	
500	500	4164480	

MATERIAUX :

- CORPS EN FONTE GRISE EN-GJL 250
- BAGUE DE SERRAGE EN FONTE À GRAPHITE SPHÉROÏDAL EN-GJS 500-7
- JOINT D'ÉTANCHÉITE EPDM
- BOULONNERIE ACIER ZINGUÉ
- REVÊTEMENT EPOXY

UTILISATION :

EAU POTABLE ET LIQUIDES NON AGRESSIFS

**ADAPTATEUR À BRIDE - R6 AVH
RACCORDEMENT POUR TUBES PVC TEMPÉRATURE
MAXI 70°C**



DN	D Tube PVC	N/Réf.	Euro
40	40	4164005	
40	50	4164010	
50	63	4164015	
60	63	4164020	
60	75	4164025	
65	63	4164030	
65	75	4164035	
80	90	4164040	
100	110	4164045	
125	125	4164050	
125	140	4164055	
150	160	4164060	
200	200	4164065	
200	225	4164070	
250	250	4164075	
250	280	4164077	
300	315	4164080	
400	400	4164085	
500	500	4164090	

MATERIAUX :

- CORPS ET BAGUE DE SERRAGE EN FONTE À GRAPHITE SPHÉROÏDAL EN-GJS 500-7
- JOINT D'ÉTANCHÉITE ET JOINT PLAT SUR LA BRIDE EPDM
- BOULONNERIE ACIER ZINGUÉ
- REVÊTEMENT EPOXY

UTILISATION :

EAU POTABLE ET LIQUIDES NON AGRESSIFS

VANNE FONTE À BRIDES 10150F



DN	PN 10	Euro	PN 16	Euro
40	2305010		-	
50	2305020		2305220	
65	2305030		2305230	
80	2305040		2305240	
100	2305050		2305250	
125	2305060		2305260	
150	2305070		2305270	
200	2305080		2305280	
250	2305090		-	
300	2305100		-	

ROBINET À SOUPAPE À BRIDES EN FONTE
TIGE ET SIÈGE INOX PN 16, T°MS : 120°C



DN	n/Réf.	Euro
15	2705010	
20	2705020	
25	2705030	
32	2705040	
40	2705050	
50	2705060	
65	2705070	
80	2705080	
100	2705090	
125	2705100	
150	2705110	
200	2705120	

CLAPET À BATTANT EN
FONTE PORTAGE LAIT./
LAIT.



DN	n/Réf.	Euro
40	3505010	
50	3505020	
65	3505030	
80	3505040	
100	3505050	
125	3505060	
150	3505070	
200	3505080	
250	3505090	
300	3505100	



**FILTRE À BRIDES EN FONTE
PN 16**



DN	N/Réf.	Euro
15	3910010	
20	3910020	
25	3910030	
32	3910040	
40	3910050	
50	3910060	
65	3910070	
80	3910080	
100	3910090	
125	3910100	
150	3910110	
200	3910120	
250	3910130	
300	3910140	
350	3910150	
400	3910160	

**VANNE EN FONTE
À BRIDES
À OPERCULE
CAOUTCHOUC
REVÊTUE EPOXY**



DN	N/Réf.	Euro
40	2311110	
50	2311120	
65	2311130	
80	2311140	
100	2311150	
125	2311160	
150	2311170	
200	2311180	
250	2311190	
300	2311200	
350	2311205	
400	2311210	


**CLAPET À BOULE FONTE
À BRIDES PN 10/16
REVÊTUE EPOXY
BOULE CAOUTCHOUC**



DN	N/Réf.	Euro
50	3522210	
65	3522220	
80	3522230	
100	3522240	
125	3522250	
150	3522260	
200	3522270	
250	3522280	
300	3522290	



APRO
Ouest



APRO OUEST

ZA Les Relandières - 44850 LE CELLIER

Tél. 02 51 13 00 25 - Fax. 02 51 13 00 26

contact@apro-ouest.com - www.apro-ouest.com

